

Introduction to Artificial Intelligence



VICTORIA UNIVERSITY OF
WELLINGTON
TE HERENGA WAKA

COMP307

Planning and Scheduling 1:

Classic Planning

Aaron Chen

(aaron.chen@ecs.vuw.ac.nz, AM413)


Outline

- Why Planning
- What is Planning
- Planning Domain Definition Language (PDDL)
 - State
 - Action
- Planning Algorithms as State-Space Search
 - Forward Search
 - Backward Search




Why Planning

- We make plans (mostly unintentionally) everyday
 - Change clothes
 - Make breakfast
 - Go from one place to another
 - ...
- Robots
 - Clean/Housekeeping
 - Delivery
 - Game playing
- Sounds trivial?
 - Computers don't think so
 - World is complex and uncertain



What is Planning


- Find a plan, which is a sequence of actions to achieve the goal state from the initial state.
- Example: a vacuum cleaner's world
 - Two rooms (Left, Right)
 - **Initial state**: both rooms dirty, I am in room Left
 - **Actions**: {Suck, Move to Left, Move to Right}
 - **Goal state**: both rooms clean



State Space in Planning



- The **state space** is essentially a **graph**
- Each **node** stands for a **state**
- Each **link** (directed edge) stands for an **action**



Conceptual Model

- State-transition systems (discrete-event systems)

- $\Sigma = (S, A, E, \gamma)$

- $S = \{s_1, s_2, \dots\}$ is a **finite set** of **states**
- $A = \{a_1, a_2, \dots\}$ is a **finite set** of **actions**
- $E = \{e_1, e_2, \dots\}$ is a **finite set** of **events**
- $\gamma: S \times A \times E \rightarrow 2^{|S|}$ is a **state-transition function**


- Represent as a directed graph

- **Actions** are transitions that are **controlled**

- **Events** are transitions that are **contingent**

- **Planner**: given Σ , initial state, objective, provide a plan for controller

- **Controller**: given a state and plan, provide an action



Classical Planning

- **Deterministic**
 - $\gamma: S \times A \rightarrow S$: each state and action leads to a **single other state**
- **Static**
 - $\Sigma = (S, A, \gamma)$: **NO contingency** event
- **Finite**
 - There are **finite number of states and actions**
- **Fully observable**
 - We **know everything** about Σ
- **Restricted goals**
 - Can be specified as an **explicit goal state(s)**
- **Implicit time**
 - Actions have **no duration**, instantaneous state transition

Classical Planning



- Problem
 - The **environment** $\Sigma = (S, A, \gamma)$
 - The **initial state** s_0
 - The **goal state(s)** S_g
- Solution (Plan)
 - A **sequence of actions** (a_1, a_2, \dots)
 - State transitions (s_1, s_2, \dots, s_k) , where $s_1 = \gamma(s_0, a_1)$, $s_2 = \gamma(s_1, a_2)$, \dots , and $s_k \in S_g$ is a goal state
- How to **represent** the states and actions?
- How to **perform** the search for a solution efficiently
 - Which search space, which algorithm, and what heuristics and control techniques to use for finding a solution.

Planning Domain Definition Language

- A classic representation for planning
- A **state** is represented as a **conjunction of fluents** that are **ground** (no variable) and **functionless** atoms.
 - Lowercase = variable
 - Capital letters = value
 - Opposite to the style of Probability
- Example
 - $At(x)$ is **invalid**: **not ground** and has variable x
 - $\neg Clean(Right)$ is **invalid**: has the **negate** function
 - $At(Father(Fred), Sydney)$ is **invalid**: has the **function** $Father(Fred)$
 - $At(Left) \wedge Clean(Left)$ is **valid**
- **Closed world assumption**: any fluents that are not mentioned are false.
 - $At(Left)$ means Left is not clean, as $Clean(Left)$ is not mentioned




Planning Domain Definition Language

- An **action** consists of an action **name**, all the **variables** used, a **precondition** and an **effect**.
 - Difference from State: **there can be variables in actions**
- Example: a plane flies from an airport to another airport
 - $Action(Fly(p, from, to),$
PRECOND: $At(p, from) \wedge Plane(p) \wedge Airport(from) \wedge Airport(to)$
EFFECT: $\neg At(p, from) \wedge At(p, to)$
- **Applicability**: an action a is applicable in state s , if its precondition is satisfied by s
- **Multiple instantiation**: $Fly(NZ410, Auckland, Wellington)$ and $Fly(NZ87, Auckland, HK)$

PDDL in Vacuum Cleaner's World

- *Init*(*At*(*Left*))
- *Goal*(*Clean*(*Left*) \wedge *Clean*(*Right*))
- *Action*(*MoveLeft*(*x*),
 PRECOND:
 EFFECT: *At*(*Left*) \wedge \neg *At*(*Right*))
- *Action*(*MoveRight*(*x*),
 PRECOND:
 EFFECT: *At*(*Right*) \wedge \neg *At*(*Left*))
- *Action*(*Suck*(*x*),
 PRECOND: *At*(*x*)
 EFFECT: *Clean*(*x*)




Update State with Action

- **Delete** list $\text{DEL}(a)$: remove the fluents that appear as negative literals in the action's effects
- **Add** list $\text{ADD}(a)$: add the fluents that are positive literals in the action's effects
- $s' = \gamma(s, a) = (s - \text{DEL}(a)) \cup \text{ADD}(a)$
- Example in the vacuum cleaner's world
 - $s_1 = \text{At}(\text{Left}), a_1 = \text{MoveRight}()$
 - $\text{EFFECT}(a_1) = \text{At}(\text{Right}) \wedge \neg \text{At}(\text{Left})$
 - $s_1 - \text{DEL}(a_1) = \{ \}$
 - $\gamma(s_1, a_1) = \{ \} \cup \text{ADD}(a_1) = \text{At}(\text{Right})$
 - $s_2 = \text{At}(\text{Right}), a_2 = \text{Suck}(\text{Right})$
 - $\text{EFFECT}(a_2) = \text{Clean}(\text{Right})$
 - $s_2 - \text{DEL}(a_2) = \text{At}(\text{Right})$
 - $\gamma(s_2, a_2) = \text{At}(\text{Right}) \cup \text{ADD}(a_2) = \text{At}(\text{Right}) \wedge \text{Clean}(\text{Right})$



A Better PDDL

- *Init*(*At*(*Left*))
- *Goal*(*Clean*(*Left*) \wedge *Clean*(*Right*))
- *Action*(*MoveLeft*(),
 PRECOND: *At*(*Right*)
 EFFECT: *At*(*Left*) \wedge \neg *At*(*Right*))
- *Action*(*MoveRight*(),
 PRECOND: *At*(*Left*)
 EFFECT: *At*(*Right*) \wedge \neg *At*(*Left*))
- *Action*(*Suck*(*x*),
 PRECOND: *At*(*x*) \wedge \neg *Clean*(*x*)
 EFFECT: *Clean*(*x*))



Expanding PDDL

- Assuming there are four rooms {Left, Right, Top, Bottom}
 - Can move from any room to any room
 - Otherwise, we need more information, e.g., *Adjacent(Left, Top)*, ...
- *Init(At(Top), Adjacent(Left, Top), ...)*
- *Goal(Clean(Left) \wedge Clean(Right) \wedge Clean(Top) \wedge Clean(Bottom))*
- *Action(Move(x, y),*
 PRECOND: *At(x) \wedge \neg At(y) \wedge Adjacent(x, y)*
 EFFECT: *At(y) \wedge \neg At(x)*)
- *Action(Suck(x),*
 PRECOND: *At(x) \wedge \neg Clean(x)*
 EFFECT: *Clean(x)*)



Planning Algorithms as State-Space Search

- **Forward (progression)** state-space search
 - Start with the **initial state**
 - Examine all the **applicable actions** for the current state
 - **Avoid loop** – never go back to previous states
 - Until reach a **goal state**
- There can be multiple different goal states
 - All the goal state fluents are present
 - Other fluents can be present as well
 - E.g.,
 - Both rooms are clean, the cleaner can be in either room
 - $Clean(Left) \wedge Clean(Right) \wedge At(Left)$
 - $Clean(Left) \wedge Clean(Right) \wedge At(Right)$



Planning Algorithms as State-Space Search

- A plan is a **path** from the root node to a non-loop leaf node
- Initial state: $At(Left)$
- **Action 1**: $Suck(Left)$
- State 1: $At(Left) \wedge Clean(Left)$
- **Action 2**: $Move(Right)$
- State 2: $At(Right) \wedge Clean(Left)$
- **Action 3**: $Suck(Right)$
- State 3 (Goal): $At(Right) \wedge Clean(Left) \wedge Clean(Right)$


Planning Algorithms as State-Space Search

- **Backward (regression)** relevant state-space search
 - Start with a **goal state** (random if there are more than one)
 - Examine all the **relevant actions**
 - Could be the *last* step leading to the current state
 - At least one effect (positive fluent) is an element of the current state
 - Has no effect that negates an element of the current state
 - **Avoid loop**
 - Until reach the **initial state**

$$s' = \gamma^{-1}(s, a) = (s - effects^+(a)) + precond(a)$$



Planning Algorithms as State-Space Search



Planning Algorithms as State-Space Search

- A plan is a **path** from a non-loop leaf node to the root node
- Initial state: $At(Left)$
- **Action 1**: $Suck(Left)$
- State 1: $At(Left) \wedge Clean(Left)$
- **Action 2**: $Move(Right)$
- State 2: $At(Right) \wedge Clean(Left)$
- **Action 3**: $Suck(Right)$
- State 3 (Goal): $At(Right) \wedge Clean(Left) \wedge Clean(Right)$

Summary

- What is planning? – Find a sequence of actions to achieve the goal state from the initial state
- Planning Domain Definition Language (PDDL) – a standard language to represent planning problems
- Planning algorithms as state-space search
 - Forward search
 - Backward search
- Suggested reading: Textbook, chapter 10: Classical Planning

