

Answers to be released on Wednesday of Week 3

1. Declare a function prototype for a function named `my_func1` that accepts an integer as input parameter and returns an integer.
2. Declare a function prototype for a function named `my_func2` that accepts 2 integers as input parameters and returns a float.
3. Implement a function with prototype `int is_even(unsigned int num)` that returns 0 if `num` is odd, or 1 if `num` is even.
4. Consider the following C function definition:

```
int sum(int a, int b)
{
    return a + b;
}
```

Rewrite the function as a function-like macro.

5. Declare the following:
 - a) An array of characters named `achar` which can hold 10 characters.
 - b) An array of characters named `bchar` which can hold 10 characters, with the first 3 characters initialized to 'A', 'B', and 'C', respectively, and the rest initialized to the null character.
 - c) An array of integers named `cint` which can hold 5 integers.
 - d) An array of integers named `dint` which can hold 5 integers, with all the values initialized to 0.
 - e) A two-dimensional array of long integers named `elong` with 4 rows and 5 columns.
 - f) A symbolic string literal named `WARNING` with value "Enter at your own risk." using macro.
 - g) A symbolic string literal named `ERROR` with value "Incorrect." using `const`.
 - h) A string variable named `player_name`, which can hold 32 characters and initialized to "Bob".
6. Consider the following C statement:

```
char str[10] = "Hello";
```

- a) What is the size (in bytes) of the character array `str`?
- b) How many characters are occupied by the string "Hello"?
- c) What is the length of the string "Hello"?
- d) What is the index of the character 'o'?

e) Write an assignment statement to replace the character 'H' with 'y';

7. Determine whether the following are valid or invalid string literals:

- a) "Hello, world"
- b) "Hello, \tworld"
- c) 'Hello, word'
- d) 'H'
- e) "Hello" ", " "world"
- f) "Hello, \
world"

8. Consider the following declarations:

```
int c = 'Y';  
char message[20] = "Welcome";
```

Write a C statement using `printf()` to

- a) Print `c` as character.
- b) Print `c` in decimal form.
- c) Print `c` in octal form.
- d) Print `c` in hexadecimal form.
- e) Print the `message` string.

9. Consider the following declarations:

```
int c;  
char message[20];
```

Write a C statement using `scanf()` to

- a) Read input as character and store in variable `c`.
- b) Read input as decimal and store in variable `c`.
- c) Read input as octal and store in variable `c`.
- d) Read input as hexadecimal and store in variable `c`.
- e) Read input as string and store in variable `message`.