Family Name:	Other Names:	•••
Student ID:	Signature	
NW	EN 241: Test 2	
2021	l, November 3	
Instructions		
• Time allowed: <b>30 minutes</b>		
• Attempt all the questions. There	are 50 marks in total.	
• Write your answers in this exam	paper and hand in all sheets.	
• If you think some question is und	clear, ask for clarification.	
<ul> <li>You may use dictionaries.</li> </ul>		
You may write notes and workin	g on this paper, but make sure your answers are cle	ear.
Hint: There might be more than one correc	ct answer for each multiple choice question	
Question 1. A location in memory.	[2 mar	ks]
$\square$ is reserved whenever a varia	ble is declared.	
$\square$ is reserved when a variable is	s used in a program.	
$\square$ can hold several different val	ues at the same time.	
$\Box$ cannot be reused once it is as	signed a value.	
Question 2. Consider the following 0	C code snippet: [2 mar	ks]
struct computer		
{     char manufacturer[10];		
double price;		
<pre>int speed;</pre>		
<u>};</u>		
The correct statement to assign a value is	of \$800 to the data member price in the structure p	oc1
$\Box$ struct price = 800;		
$\Box$ struct computer.price = 800;		
$\Box$ struct pc1- >rice = 800;		
□ pc1.price = 800;		

 $\Box$  pc1->price = 800;

Student ID: .....

#### Question 3. What is the output of the following code snippet?

[5 marks]

```
struct hurricane
{
    char name[10];
    int year, category;
};
int main(void)
{
    struct hurricane h1 = {"Audrey", 1957, 4};
    struct hurricane h2 = {"Frederic", 1979, 3};

    printf("%s \n%s \n", h2.name, h1.name);
    printf("Category %d hurricane: %s \n", h1.category, h1.name);
}
```

#### Question 4. Assume that an array g is defined with the following statement: [4 marks]

```
 \begin{array}{l} \mbox{int } g[\ ] \ = \ \{2,4,5,8,10,32,78\}; \\ \mbox{int } *ptr1 \ = \&g[0]; \\ \mbox{int } *ptr2 \ = \&g[3]; \\ \end{array}
```

What is the value of each of the following expressions?

```
*g

*(ptr1+1)

*(g+5)

*(ptr2+2)
```

Student ID:	
Question 5. Write a function that receives a pointer to a character string at The function should return the number of times that the character occurred	
Assume that the function has the following prototype statement:	[8 marks]

	<pre>int charcnt(char *ptr, char c);</pre>
{	
}	

## Question 6. Consider the following C code snippet:

[4 marks]

```
 \begin{array}{l} \textit{char} * \mathsf{carr} = (\textit{char} *) \; \mathsf{malloc}(5 * \; \mathsf{sizeof}\,(\textit{char})); \\ \textbf{for}(\textit{int} \; \; i = 0; \; i < 5; \; i + +) \\ \mathsf{carr}\,[\; i\;] \; = \; \text{`a'} + i; \\ \textit{char} * \mathsf{darr} \; = (\textit{char} *) \; \; \mathsf{realloc}\,(\; \mathsf{carr}\,, \; \; 15 * \; \mathsf{sizeof}\,(\; \textit{char}\,)); \\ \end{array}
```

Assume that both malloc() and realloc() were successful.

(a)	[2 marks]	what is the size of the array (in bytes) that carr points to after the first line:

(b)	[2 marks]	What is the size of the array (in bytes) that darr points to after the last line?

Student ID:		

## **Question 7.** Consider the following C code snippet:

[4 marks]

enum { Acura, Audi=3, Buick=5, Cadillac } myCar = Buick;

(a) [2 marks] What is the value of Cadillac?

(b) [2 marks] What is the value of myCar?

# Question 8. What is the output of the following program?

[2 marks]

```
#include<stdio.h>
union myUion {
    float y;
    char c;
} v;

main()
{
    v.y = 10.5;
    printf ("%d", var.c);
}
```

Student	ID.									
Judeni	ID.		 							

[2 marks]

What is the size allocated to the variable u1? Express your answer in terms of sizeof(type), where type is the appropriate type.

Question 10. Consider a singly-linked list which contains a list of integers. A node in this list is defined as follows: [7 marks]

```
struct node
{
    double data;
    struct node *next;
};
```

Suppose that head points to the head of the list. Suppose further the list contains the integers 60.5, 16.0, 52.1, 94.0, and 15.3, where 60.5 is at the head of the list.

(a) [2 marks] What is the value of head—>data?

(b) [2 marks] What is the value of head - > next - > data?

(c) [3 marks] What is the output of the following code snippet?

```
Node *p = head;
while(p != NULL)
{
    printf ("%d ", p->data);
    p = p->next;
}
```

# Question 11. Consider the following C program:

[10 marks]

#in	clude <stdio.h></stdio.h>
int	a;
int {	<pre>func(int i)</pre>
l	<pre>static int b = 2; b++;</pre>
}	return a+b;
int {	main(void)
}	<pre>int d = -1, e; func(d); e = func(++d); printf("%d", e); return 0;</pre>
(a)	[2 marks] What is storage class of variable b?
(b)	[2 marks] What is the lifetime of variable b?
(c)	[2 marks] In which memory segment is the variable d stored?
(d)	[2 marks] What is the initial value of the variable a?

	Student ID:
(Question 11 continued)	
(e) [2 marks] What is the output of the program?	

\* \* \* \* \* \* \* \* \* \* \* \* \* \* \*

Student ID:																							
-------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

## **SPARE PAGE FOR EXTRA ANSWERS**

Cross out rough working that you do not want marked. Specify the question number for work that you do want marked.