

Family Name:

Other Names:

ID Number:

Signature

COMP 102: Test 2

11 May, 2012

Instructions

- Time allowed: **45 minutes**
- There are 45 marks in total.
- Answer **all** the questions.
- Write your answers in the boxes in this test paper and hand in all sheets. You may ask for additional paper if you need it.
- If you think some question is unclear, ask for clarification.
- Brief Java documentation will be supplied with the test.
- This test will contribute 15% of your final grade,
(But your mark will be boosted up to your exam mark if that is higher.)
- You may use paper translation dictionaries, and calculators without a full set of alphabet keys.
- You may write notes and working on this paper, but make sure it is clear where your answers are.

Questions

Marks

1. Understanding Java

[17]

2. Event Driven Input

[10]

3. Defining Classes

[10]

4. File Processing

[8]

TOTAL:

SPARE PAGE FOR EXTRA ANSWERS

Cross out rough working that you do not want marked.
Specify the question number for work that you do want marked.

Question 1. Understanding Java

[17 marks]

(a) [4 marks] Consider the following counting method:

```
public void counting(int num){
    while (num > 0){
        if ( num <= 5 ) {
            Ul.println ("then: " + num*3);
        }
        else {
            Ul.println ("now: " + num);
        }
        num = num - 2;
    }
    Ul.println ("finally: " + num);
}
```

What will be printed if counting(9) is called?

(b) [3 marks] Consider the following choose method:

```
public void choose(int a, int b, int c){
    if ( a > c )           { Ul.println ("March"); }
    else if ( b > c && a < c ) { Ul.println ("April"); }
    else if ( c == b || c == a ) { Ul.println ("May"); }
    else                   { Ul.println ("June"); }
}
```

What will be printed if choose(20, 15,10) is called?


What will be printed if choose(15, 20, 15) is called?

What will be printed if choose(10, 10, 20) is called?

SPARE PAGE FOR EXTRA ANSWERS

Cross out rough working that you do not want marked.
Specify the question number for work that you do want marked.

Spare copy of grid:



(Question 1 continued)

(c) [4 marks] Suppose the file called `SomeText.txt` contains the following:

```
Hello
300 100
GoodBye
100 300
```

What will the following `fileDraw` method draw on the graphics pane? (Answer on the grid below.)
Hint: keep track of the values of all the variables


```
public void fileDraw(){
    try{
        Scanner scan = new Scanner(new File("SomeText.txt"));
        int x = 100;
        int y = 100;
        while ( scan.hasNext() ) {
            String token = scan.next();
            UI.drawString(token, x, y);
            int u = scan.nextInt ();
            int v = scan.nextInt ();
            UI.drawLine(x, y, u, v);
            x = u;
            y = v;
        }
        scan.close();
    }
    catch(IOException e){UI.println("Fail: " + e);}
}
```

x:

y:

u:

v:



(Question 1 continued on next page)

(Question 1 continued)

(d) [6 marks] Consider the `LibraryBook` class on the facing page.

What will the following fragment of code print out? (Note the variables carefully.)

```
LibraryBook b1 = new LibraryBook("Jingo");  
b1.lendBook();  
b1.returnBook(5);  
LibraryBook b2 = new LibraryBook("Thud");  
b1.lendBook();  
b2.lendBook();  
b1.returnBook(15);  
b2.returnBook(8);  
b1.retireBook();
```

(Question 1 continued on next page)

(Question 1 continued)

```
public class LibraryBook{

    private String title ;
    private int usage = 0;
    private int times = 0;

    public LibraryBook(String ttl ){
        this.title = ttl ;
    }

    public void lendBook(){
        this.times = this.times + 1;
        Ul.println ("loans of " + this.title + " : " + this.times);
    }

    public void returnBook(int days){
        this.usage = this.usage + days;
        Ul.println ("usage of " + this.title + " : " + this.usage);
    }


    public void retireBook(){
        Ul.printf ("retired %s : %d/%d \n", this.title, this.usage, this.times);
    }
}
```

Question 2. Event-Driven Input

[10 marks]

The TargetPractice program on the facing page should allow the user to draw red or blue target shapes on the graphics pane, as shown below. If the user presses the mouse at one point and releases it at a second point, then the program should draw a target shape centered at the first point, and a radius equal to the horizontal distance between the two points. (as shown in the left hand target below). The program should have two buttons (labeled Red and Blue) that allow the user to change the color for future targets.

The program has three fields; it needs a constructor and methods to respond to the buttons and the mouse. You are to complete the program. Note that there is a `drawTarget` method already written for you, which requires the center and radius of the target.



(Question 2 continued on next page)

(Question 2 continued)

```
public class TargetPractice implements UIButtonListener, UIMouseListener{
    private Color targetColor = Color.red;    // The current color
    private double centerX = 0;                // position the mouse was pressed
    private double centerY = 0;

    public TargetPractice(){

    }

    public void mousePerformed(String action, double x, double y) {

    }

    public void buttonPerformed(String button){


    }

    /** Draws target shape, centered at (x, y) with given radius and color */
    public void drawTarget(double x, double y, double radius, Color color){
        UI.setColor(color);
        double rad = radius;
        while (rad > 5){
            UI.fillOval (x-rad, y-rad, rad*2, rad*2);
            UI.eraseOval(x-(rad-10), y-(rad-10), (rad-10)*2, (rad-10)*2);
            rad = rad - 20;
        }
    }
}
```

Question 3. Defining Classes

[10 marks]

For this question, you are to complete part of a program that displays the state of a rowing race which has several boats, each in their own lane. For example, the figure shows a race with four boats.



The `RowBoat` class on the facing page represents individual boats. Each boat has a team name, a lane number (1, 2, 3, ...), and the distance it has travelled so far along the lane. The `draw` method will display the boat as a rectangle containing the team name. The boat is displayed on the appropriate lane, and the horizontal position is the distance it has travelled. In the example below, the boat for the "VUW" is in lane 3 and is 165 meters along the course.

Every boat starts at a distance of 0 meters along the course. The program can update the position of the boat (though the lane never changes).

You are to complete the `RowBoat` class:

- Define three fields to store the name of the team, the lane, and the position of the boat.
- Complete the constructor, which should have two parameters specifying the name and the lane. It should also draw the boat on the graphics pane by calling the `draw` method.
- Complete the `restart` method, which has no parameters. It should reset the distance along the course to 0 and re-draw the boat. It does not need to erase the boat from its old position.
- Complete the `moveForward` method, which should have one parameter—the distance to move forward. It should change the position of the boat by the value of the parameter, and then re-draw the boat. It does not need to erase the boat from its old position.
- Complete the `draw` method, which has no parameters. It should draw the boat on the graphics pane. The boat size should be 30 units wide and 15 units high. The constant `laneSep` specifies the vertical separation between lanes.

Hint: use the `drawRect` and `drawString` methods.

As an example of using the `RowBoat` class, the `testBoat` method below creates a boat, and moves it to the right and then restarts it.

```
public void testBoat(){
    RowBoat boat = new RowBoat("VUW", 3);
    Ul.clearGraphics();
    boat.moveForward(30);
    Ul.sleep(1000);
    Ul.clearGraphics();
    boat.restart ();
}
```

(Question 3 continued)

```
public class RowBoat{
    private static final double laneSep = 50;

    public RowBoat(String name, int ln){

    }
    public void restart(){

    }
    public void moveForward(double move){

    }
    public void draw(){

    }
}
```

Question 4. File Processing

[8 marks]

Suppose the file `boat-list.txt` contains information about boats owned by a sailing club. Each line contains the boat ID, the number of crew, the year of purchase, and the boat type

For example, part of the file might be:

```
A1 3 1963 Flying Ant
B15 2 2006 Heron
A43 1 2010 Laser
A33 4 2003 Coronado
A27 1 1988 Laser
A35 4 2009 Coronado
```

The `chooseBoats` method on the facing page has one parameter — a year. Complete the `chooseBoats` method so that it reads the “`boat-list.txt`” file, prints out the boat ID and the boat type of each boat that was purchased in or after the given year, and finally prints out the total number of crew these boats can hold.

For example, if the file contained just the data above, then calling

```
chooseBoats(2006);
```

should print out

```
Boats since 2006:
B15 Heron
A43 Laser
A35 Coronado
Total Crew: 7
```

(Question 4 continued on next page)

(Question 4 continued)

```
public void chooseBoats(int year){
    UI.println ("Boats since " + year);
    try{
        Scanner scan = new Scanner(new File("boat-list.txt"));

        scan.close();
    }catch(IOException e){UI.println("File Failure: " + e);}
}
```

SPARE PAGE FOR EXTRA ANSWERS

Cross out rough working that you do not want marked.
Specify the question number for work that you do want marked.