

Family Name: ..... Other Names: .....

Student ID: ..... Signature .....

## COMP 102 : Test

2018, Apr 9

### Instructions

- Time allowed: **50 minutes**
- Attempt **all** the questions. There are 50 marks in total.
- Write your answers in this test paper and hand in all sheets.
- If you think some question is unclear, ask for clarification.
- Brief Java documentation is provided with the test
- This test contributes 15% of your final grade  
(But your mark will be increased to your exam mark if that is higher.)
- You may use dictionaries.
- You may write notes and working on this paper, but make sure your answers are clear.

### Questions

### Marks

1. Understanding programs with graphical output	[6]	<input type="text"/>
2. Understanding <b>if</b>	[4]	<input type="text"/>
3. Writing programs with text input, output and <b>if</b>	[10]	<input type="text"/>
4. Writing programs with graphical output	[10]	<input type="text"/>
5. Writing methods that use objects	[10]	<input type="text"/>
6. Using String methods and <b>if</b>	[10]	<input type="text"/>
	TOTAL:	<input type="text"/>

**Question 1. Understanding programs with graphical output**

**[6 marks]**

Sketch what the following drawlt method will draw in the graphics pane.

```

public static final double PX = 100;
public static final double PY = 200;
    :
public void drawlt(){
    double length = 50;
    double x = PX + length;
    double y = PY + 2 * length;

    UI.drawOval(50, 200, 100, 100);
    UI.drawRect(PX, PY, length*2, length);
    UI.drawLine(PX, PY, x, y);
}
    
```


**Hint:** write the values of the variables in the boxes

length:

x:


y:

**Hint:** The documentation page specifies the parameters of the drawing methods.



**(Question 1 continued)**

*Extra copy for answering, in case you made a mistake:*



**Question 2. Understanding if****[4 marks]**

The following printNumbers method has two parameters.

```
public void printNumbers(double first , double second) {  
    double third = 10;  
    if ( first > second) {  
        Ul. println ( first );  
    }  
    else if ( first == second || first > third) {  
        Ul. println ( third );  
    }  
    else {  
        Ul. println (second);  
    }  
}
```

Write what this printNumbers method will print out when it is called with different arguments as follows:

printNumbers(8,2);   ⇒

printNumbers(9,20); ⇒

printNumbers(15,20); ⇒

printNumbers(5,5);   ⇒

**Question 3. Writing programs with text input, output and if****[10 marks]**

Complete the following calculateCost method to calculate the cost of renting a car.

The method should

- ask the user for the number of days of renting a car
- calculate the cost based on the following rules
  - Renting a car costs \$50 per day.
  - if you rent the car for 7 or more days, you get 10% off your total.
  - if you rent the car for 3 or more days (but less than 7), you get \$10 off your total.
- print out the cost for the number of days in the form:  
Rental cost for 4 days: \$190

```
public void calculateCost () {
```


```
}
```

**SPARE PAGE FOR EXTRA ANSWERS**

Cross out rough working that you do not want marked.  
Specify the question number for work that you do want marked.

**Question 4. Writing programs with graphical output****[10 marks]**

Complete the following `drawIceCreamSign` method to draw the following ice cream sign consisting of one arc (half circle) and two lines.



- The position of the sign is defined by the constants `CENTER` and `TOP`.
- The parameters of `drawIceCreamSign` specify the width and the height of the sign.
- Compute values for the left, right and bottom of the sign, and put them in variables. You may also use other variables to store other coordinates.
- Draw and fill the arc (half circle) and draw the two lines, using the variables.

```

public static final double CENTER = 400;
public static final double TOP = 50;
    :
public void drawIceCreamSign(double width, double height){

}

```

**Question 5. Writing methods that use objects****[10 marks]**

This question is about a program that makes two bank accounts for two people and allows them to deposit or withdraw money.

The documentation for the Account class is given below.  
It has one constructor and five methods:

---

```
// Constructor:
public Account(String name, int accountNo, double initialBalance )
/** Creates a new Account object of the specified name. e.g. "Tom",
    account number e.g. 1234, and an initial balance e.g. $100.0 */

//Methods:
public String getName()
/** returns the name of the account */

public double getBalance()
/** returns the balance of the account */

public void deposit(double amount)
/** makes a deposit : adds the specified amount to the balance */

public void withdraw(double amount)
/** makes a withdrawal: subtracts the specified amount from the balance */

public void printStatement()
/** prints the name, account number and balance of the account */
```

---

Complete the banking method on the facing page so that it

1. Creates two bank accounts.
  - Creates an account for Alex, with the account number 1349, and an initial balance of \$20.0 in his account.
  - Creates an account for Bob, with the account number 4987, and an initial balance of \$300.0 in his account.
2. Calls a sequence of methods on the two objects to complete the following actions:
  - Alex makes a deposit of \$100.
  - Bob makes a withdrawal of \$200.
  - Alex withdraws \$50 and gives it to Bob, and Bob put it in his account.
  - Print the statements for both Alex and Bob
  - Compare the balance of the two accounts, and print out the name of the person who has more money. Note: you need to call methods to get the balance or name of an account.



```
/** Creates two accounts then performs actions on the accounts */
```

```
public void banking(){
```

```
}
```

**Question 6. Using String methods and if.****[10 marks]**

The `checkCode(String code)` method on the facing page should check whether its argument satisfies the following constraints and prints out

- “not valid”, if it fails any constraints or
- “valid”, if it satisfies all the constraints.

A string is a valid code if

- it has 7 characters, *and*
- the first 2 characters are either “EC” or “IM”, *and*
- the code does not include “:” or “;”
- the last 4 characters include the digit 1 or the digit 0

Your method will need to use methods from the String class on the last page of the documentation sheets, such as `length`, `substring`, `contains`, and `startsWith`.

**(Question 6 continued)**

```
public void checkCode(String code){
```

```
}
```

\*\*\*\*\*

**SPARE PAGE FOR EXTRA ANSWERS**

Cross out rough working that you do not want marked.  
Specify the question number for work that you do want marked.